Water Supply Lat/Long: 41.7325/-75.87811

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

		Sample Location	Sample Meduim	Source	Sample Date	Chloride (mg/L)	Nitrite (mg/L)	Nitrate as N (mg/L)	рН
Primary Maximum Contaminant Levels	а						1	10	
Secondary Maximum Contaminant Levels	k					250			6.5-8.5
Recommended Action Levels	С								
			Well	WSM (DEP)	12/16/2008	5.19	0.04	0.37	8.1
			Well	CABOT	1/13/2009	2.39			8.45
KITCHEN SINK		Kitchen Sink	Well	DEP	1/18/2009				
BURDICK CREEK (UPGRADIENT)	П	Burdick Creek	Surface Water	K&L	11/11/2010	<24.3			7.4
BURDICK CREEK (DOWNGRADIENT)	Ш	Burdick Creek	Surface Water	K&L	11/11/2010	<24.1			7.2
POND (NW END)		NW End Pond	Surface Water	K&L	11/11/2010	<17.1			6.4
WELL 1			Well	CABOT	8/9/2011				
WELL 1			Well	CABOT	9/15/2011				

a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)

b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.

c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Water Supply Lat/Long: 41.7325/-75.87811

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

		Sample Location	Sample Meduim	Source	Sample Date	Sulfate (mg/L)	Sulfide (mg/L)	TDS (mg/L)	TSS (mg/L)
Primary Maximum Contaminant Levels	а								
Secondary Maximum Contaminant Levels	-	0				250		500	
Recommended Action Levels	С								
			Well	WSM (DEP)	12/16/2008	12.2		162	
			Well	CABOT	1/13/2009		<1	170	<2
KITCHEN SINK		Kitchen Sink	Well	DEP	1/18/2009				
BURDICK CREEK (UPGRADIENT)		Burdick Creek	Surface Water	K&L	11/11/2010			106	
BURDICK CREEK (DOWNGRADIENT)		Burdick Creek	Surface Water	K&L	11/11/2010			101	
POND (NW END)		NW End Pond	Surface Water	K&L	11/11/2010			72	
WELL 1			Well	CABOT	8/9/2011				
WELL 1			Well	CABOT	9/15/2011				

- a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapte
- b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cos
- c Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating

Water Supply Lat/Long: 41.7325/-75.87811

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

		Sample Location	Sample Meduim	Source	Sample Date	Turbidity (ntu)	Total Coliform (cfu/ 100mL)	Fecal Coliform (cfu/ 100 mL)	Aluminum (mg/L)
Primary Maximum Contaminant Levels	а						0	0	
Secondary Maximum Contaminant Levels	-	b							0.05-0.2
Recommended Action Levels	С								
			Well	WSM (DEP)	12/16/2008	2.23 ntu			
			Well	CABOT	1/13/2009		<1	<1	<0.1
KITCHEN SINK		Kitchen Sink	Well	DEP	1/18/2009				
BURDICK CREEK (UPGRADIENT)		Burdick Creek	Surface Water	K&L	11/11/2010				<0.0247
BURDICK CREEK (DOWNGRADIENT)		Burdick Creek	Surface Water	K&L	11/11/2010				<0.0282
POND (NW END)		NW End Pond	Surface Water	K&L	11/11/2010				0.171
WELL 1			Well	CABOT	8/9/2011				
WELL 1			Well	CABOT	9/15/2011				

- a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapte
- b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cos
- c Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating

Water Supply Lat/Long: 41.7325/-75.87811

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

		Sample Location	Sample Meduim	Source	Sample Date	Aluminum (SAC 942) (mg/L)	Antimony (mg/L)	Arsenic (mg/L)	Barium (mg/L)
Primary Maximum Contaminant Levels	а						0.006	0.01	2
Secondary Maximum Contaminant Levels	-	b				0.05-0.2			
Recommended Action Levels	С								
			Well	WSM (DEP)	12/16/2008	<0.010	<0.002	<0.003	0.196
			Well	CABOT	1/13/2009				0.219
KITCHEN SINK		Kitchen Sink	Well	DEP	1/18/2009				
BURDICK CREEK (UPGRADIENT)	П	Burdick Creek	Surface Water	K&L	11/11/2010		<0.000056	<0.00042	0.0257
BURDICK CREEK (DOWNGRADIENT)	Ш	Burdick Creek	Surface Water	K&L	11/11/2010		<0.000058	<0.00093	0.0266
POND (NW END)		NW End Pond	Surface Water	K&L	11/11/2010		<0.00011	<0.00077	0.0472
WELL 1			Well	CABOT	8/9/2011				
WELL 1			Well	CABOT	9/15/2011				

- a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapte
- b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cos
- c Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating

Water Supply Lat/Long: 41.7325/-75.87811

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

			Sample Location	Sample Meduim	Source	Sample Date	Beryllium (mg/L)	Cadmium (mg/L)	Chromium (mg/L)	Copper (mg/L)
Primary Maximum Contaminant Levels	a						0.004	0.005	0.1	1.3
Secondary Maximum Contaminant Levels	-	b								
Recommended Action Levels	С									
				Well	WSM (DEP)	12/16/2008	<0.001	<0.0002	<0.004	0.0256
				Well	CABOT	1/13/2009				
KITCHEN SINK			Kitchen Sink	Well	DEP	1/18/2009				
BURDICK CREEK (UPGRADIENT)			Burdick Creek	Surface Water	K&L	11/11/2010	<0.001	<0.001	0.0031	<0.00059
BURDICK CREEK (DOWNGRADIENT)	П		Burdick Creek	Surface Water	K&L	11/11/2010	<0.001	<0.001	0.0032	0.00064
POND (NW END)			NW End Pond	Surface Water	K&L	11/11/2010	<0.001	<0.001	0.0035	0.0017
WELL 1				Well	CABOT	8/9/2011				
WELL 1				Well	CABOT	9/15/2011				

a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapte

b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cos

c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating

Water Supply Lat/Long: 41.7325/-75.87811

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

		Sample Location	Sample Meduim	Source	Sample Date	Iron (mg/L)	Magnesium (mg/L)	Manganese (mg/L)	Mercury (mg/L)
Primary Maximum Contaminant Levels	а								0.002
Secondary Maximum Contaminant Levels		b				0.3		0.05	
Recommended Action Levels	С								
			Well	WSM (DEP)	12/16/2008	0.772	5.7	0.018	<0.0002
			Well	CABOT	1/13/2009	4.02	6.09	0.035	
KITCHEN SINK		Kitchen Sink	Well	DEP	1/18/2009				
BURDICK CREEK (UPGRADIENT)	П	Burdick Creek	Surface Water	K&L	11/11/2010	<0.0331	2.76	0.003	<0.0002
BURDICK CREEK (DOWNGRADIENT)	П	Burdick Creek	Surface Water	K&L	11/11/2010	<0.0454	2.65	0.0133	<0.0002
POND (NW END)	T	NW End Pond	Surface Water	K&L	11/11/2010	0.271	1.54	0.0965	<0.0002
WELL 1			Well	CABOT	8/9/2011				
WELL 1			Well	CABOT	9/15/2011				

Notes:

c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating

a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapte

b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cost

Water Supply Lat/Long: 41.7325/-75.87811

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

			Sample Location	Sample Meduim	Source	Sample Date	Nickel (mg/L)	Selenium (mg/L)	Sodium (mg/L)	Strontium (mg/L)
Primary Maximum Contaminant Levels	а							0.05		
Secondary Maximum Contaminant Levels	-	b								
Recommended Action Levels	С									
				Well	WSM (DEP)	12/16/2008	<0.050	<0.007	16.6	
				Well	CABOT	1/13/2009				0.9
KITCHEN SINK			Kitchen Sink	Well	DEP	1/18/2009				
BURDICK CREEK (UPGRADIENT)	П		Burdick Creek	Surface Water	K&L	11/11/2010	<0.001	<0.005	12.7	
BURDICK CREEK (DOWNGRADIENT)	П	П	Burdick Creek	Surface Water	K&L	11/11/2010	<0.001	<0.005	12.2	
POND (NW END)	П		NW End Pond	Surface Water	K&L	11/11/2010	<0.00054	<0.005	7.35	
WELL 1				Well	CABOT	8/9/2011				
WELL 1				Well	CABOT	9/15/2011				

a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapte

b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cos

c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating

Water Supply Lat/Long: 41.7325/-75.87811

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

			Sample Location	Sample Meduim	Source	Sample Date	Thallium (mg/L)	Zinc (mg/L)	Ethane (ug/L)	iso-Butane (ug/L)
Primary Maximum Contaminant Levels		а					0.002			
Secondary Maximum Contaminant Levels		b						5		
Recommended Action Levels	С									
				Well	WSM (DEP)	12/16/2008	<0.002	0.046		
				Well	CABOT	1/13/2009			1600	1.5
KITCHEN SINK			Kitchen Sink	Well	DEP	1/18/2009			2730 (Q)	
BURDICK CREEK (UPGRADIENT)			Burdick Creek	Surface Water	K&L	11/11/2010	<0.001	<0.0045		
BURDICK CREEK (DOWNGRADIENT)	П		Burdick Creek	Surface Water	K&L	11/11/2010	<0.000016	<0.0024		
POND (NW END)			NW End Pond	Surface Water	K&L	11/11/2010	<0.00003	0.0061		
WELL 1				Well	CABOT	8/9/2011			52.2	<5
WELL 1				Well	CABOT	9/15/2011			65.3	<5

a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapte

b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cos

c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating

Water Supply Lat/Long: 41.7325/-75.87811

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

			Sample Location	Sample Meduim	Source	Sample Date	Methane (ug/L)	n-Butane (ug/L)	Propane (ug/L)	Sample Sheet Comments
Primary Maximum Contaminant Levels		а								
Secondary Maximum Contaminant Levels	-	b								
Recommended Action Levels	С						28,000			
				Well	WSM (DEP)	12/16/2008				
				Well	CABOT	1/13/2009	24000	6.3	77	
KITCHEN SINK			Kitchen Sink	Well	DEP	1/18/2009	42700		126 (Q)	
BURDICK CREEK (UPGRADIENT)			Burdick Creek	Surface Water	K&L	11/11/2010				
BURDICK CREEK (DOWNGRADIENT)	П		Burdick Creek	Surface Water	K&L	11/11/2010				
POND (NW END)			NW End Pond	Surface Water	K&L	11/11/2010				
WELL 1				Well	CABOT	8/9/2011	18400	<5	<5	
WELL 1	П		_	Well	CABOT	9/15/2011	8540	<5	<5	

a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapte

b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cos

c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating

Water Supply Lat/Long: 41.732198/-75.878097

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

Sample Location	Sample Unique	Sample Date	pH (pH units)
	WSM (DEP)	12/16/2008	8.1
	CABOT	1/13/2009	8.45

below	\$	Secondary MCL
	6.5	2
	6.5	2

Notes:

- a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
- b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
- c Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

5/1/2008 8.5 10/30/2011 8.5

Water Supply Lat/Long: 41.732198/-75.878097

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

Sample Location	Sample Unique	Sample Date	Above
	WSM (DEP)	12/16/2008	1
	CABOT	1/13/2009	1

Notes:

- a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A S
- b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic
- c Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center

Water Supply Lat/Long: 41.732198/-75.878097

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

	Sample Location	Sample Unique	Sample Date	Aluminum	Secondary MCL
		CABOT	1/13/2009	<0.1	0.2
BURDICK CREEK (UPGRADIENT)	BURDICK CREEK (UPGRADIENT)	K&L	11/11/2010	<0.0247	0.2
BURDICK CREEK (DOWNGRADIENT)	BURDICK CREEK (DOWNGRADIENT)	K&L	11/11/2010	<0.0282	0.2
POND (NW END)	POND (NW END)	K&L	11/11/2010	0.171	0.2

Notes:

a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)

b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.

c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Water Supply Lat/Long: 41.732198/-75.878097

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

		Sample Location	Sample Unique	Sample Date	Methane (ug/L)
			CABOT	1/13/2009	24000
KITCHEN SINK		KITCHEN SINK	DEP	1/18/2009	42700
WELL 1		WELL 1	ACTS	8/9/2011	18400
WELL1		WELL1	ACTS	8/15/2011	8540

Recommended Action Level (OSM) 28000 28000 28000

28000

Notes:

- a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
- b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
- c Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Water Supply Lat/Long: 41.732198/-75.878097

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

	Sample Location	Sample Unique	Sample Date	Action Level (COSA)
		CABOT	1/13/2009	7000
KITCHEN SINK	KITCHEN SINK	DEP	1/18/2009	7000
WELL 1	WELL 1	ACTS	8/9/2011	7000
WELL1	WELL1	ACTS	8/15/2011	7000

Notes:

- a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A S
- b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic
- c Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Cente

Water Supply Lat/Long: 41.732198/-75.878097

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

	Sample Location	Sample Unique	Sample Date	Iron (mg/L)	Secondary MCL
		WSM (DEP)	12/16/2008	0.772	0.3
		CABOT	1/13/2009	4.02	0.3
Notes:		_	1/13/2009	4	

a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)

b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.

c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Water Supply Lat/Long: 41.732198/-75.878097

Water Supply Depth:

Treatment (Y/N):

Gas Well Operator:

Gas Well: GESFORD K. 3V/9V

Distance 700 FT

Sample Location	Sample Unique	Sample Date	Manganese (mg/L)
	WSM (DEP)	12/16/2008	0.018
	CABOT	1/13/2009	0.035

Secondary MCL 0.05 0.05

Notes:

- a Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
- b E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
- c Recommended action level from the Office of Surface Mining Reclamation and Enforcement Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)









